


# Acrisol® blink





HELIX ZAFIRO  
342




HELIX GRIS CLARO  
340

## FRESH SUMMERS



LISO AZUL OSCURO  
8 ■ ●



SPARK ASH  
311



LISO AGATA  
84



LISO CRUDO  
1 ■ ●



LISO CELESTE  
106



SPARK MEDITERR.  
304



LISO ZAFIRO  
107



SPARK JEANS  
317




SPARK AZULINA  
316



BOUQUET INDIGO  
330



FLASH INDIGO  
325



BRILLIANT LIFE

HELIX ORINOCO  
336



HELIX PISTACHO  
337



LISO PISTACHO  
105 ■



LISO PANTALEON  
54



LISO NARANJA  
13



SPARK RUST  
314



SPARK CANELA  
313



SPARK BRASS  
320




LISO ORINOCO  
108



SPARK PETROL  
318




LISO MENTA  
934



SUNNY DAYS

HELIX PISTACHO  
337



HELIX TRIGO  
338



LISO TRIGO  
102



SPARK CANARIO  
306



SPARK AVOCADO  
302



LISO FRESA  
57




SPARK PINO  
319



LISO VERDE CLARO  
5 ■



LISO VERDE OSC.  
6 ■ ●



LISO VERDE OLIVA  
06 02



LISO VERDE MUSGO  
89



HELIX CORAL  
343



HELIX CIELO  
341



HELIX PISTACHO  
337

## FUNNY MOMENTS



LISO PISTACHO  
105 ■



SPARK LIMA  
301



LISO VERDE MUSGO  
89



LISO BLANCO  
0 ■ ●



SPARK NIEVE  
308



SPARK CORAL  
305




LISO CORAL  
56




SPARK CELADON  
312



LISO CIELO  
606



SPARK MENTA  
303



HELIX GRIS CLARO  
340

ALL DAYS LONG



BOUQUET NEUTRALS  
329



FLASH NEUTRALS  
324



HELIX CANELA  
339



LISO CANELA  
81



SPARK PIEDRA  
309



SPARK GRIS  
310




LISO GRIS CLARO  
101



LISO JEANS  
87



LISO CRUDO  
1 ■ ●



SPARK FLAN  
307



LISO TRIGO  
102



LISO AVENA  
83

### TECHNICAL FILE CARACTERISTICAS GENERALES

#### Composition / Composición

100% Acrylic

#### Finish / Acabado

Water repellent / Hidrófugo

#### Light fastness / Solidez a la luz

6-7 / 8

Width / Ancho	160 cm / 63"	320 cm / 126"	155 cm / 61" IP stock
Length of rolls Longitud de las piezas	50 m	30 m	50 m

#### Rapport

Bouquet: V64 x H31,4 cm  
half drop / tresbolillado

Flash: V64 x H20 cm



#### Other features / Otras características

Avoids condensation from heat and humidity. Good oil repellency.  
Evita la condensación de calor y humedad. Buena repelencia al aceite.

#### Tolerance / Tolerancia

Sensitive values of tolerance of + / - 5%  
Valores susceptibles de tolerancia de + / - 5%

#### Optional fabric treatment Acabados opcionales

Flame retardant / Ignífugo  
Waterproof / Impermeable

#### Cleaning instructions / Manutención



#### Application / Aplicaciones



#### Warranty / Garantía

The Acrisol warranty covers an abnormal deterioration of the fiber due to the loss of color or resistance whenever there are normal exposure conditions, including sun, mold, rot and atmospheric agents in general, and as long as the fiber has been installed, used and maintained correctly. The guarantee does not cover the installation work of the distributor, it only replaces the affected tissue footage.

The warranty also does not cover, in any case, the deterioration due to abusive use, accidental burns, negligence or perforation.

The Acrisol warranty covers an abnormal deterioration of the fiber due to the loss of color or resistance whenever there are normal exposure conditions, including sun, mold, rot and atmospheric agents in general, and as long as the fiber has been installed, used and maintained correctly. The guarantee does not cover the installation work of the distributor, it only replaces the affected tissue footage.



WATER  
RESISTANT



MOLD  
RESISTANT



UV  
PROTECT



UV  
RESISTANT



STAIN  
RESISTANT





NO  
CONDUCTOR



DURABLE  
STRONG



EASY  
TO CLEAN



Acrisol® blink

Acrisol®  
blink